

# Features



Small and compact footprint that incorporates a slight 2 degree backwards washing angle. This tilt back along with integrated lifting ribs optimize mechanical wash action.



Inverter with single motor drive is energy efficient, has fewer parts, and provides smooth power at all speeds.



Robust hydraulic tilting mechanism provides for a large degree tilting angle coupled with large diameter door opening facilitates loading and unloading of goods.



Multi-language color touchscreen control features full programmability of all machine functions including interfacing up to 13 signals to external chemical systems, and displays relevant machine operating data, including a full array of maintenance and productivity reports.



100kg models available with exclusive **Water Droplet** drum design. The art of Convex/Concave for the perfect Clean.

[www.sealionamerica.com](http://www.sealionamerica.com)

## Washer - Industrial Series



Industrial washer-extractors from Sea-lion are rugged, reliable workhorses engineered to last. They have a low total cost of ownership and produce superior wash results. The no nonsense, smart automation design saves time in the loading and unloading processes.

Machine's open structure design incorporates an innovative suspension system located higher on the frame to better reduce vibration.



Models available in 100 and 200kg dry load capacity.

# Specifications

Machines are certified to ETL C-US standards. Some new models, including existing models that are in the process of being revised, may not be certified at the time of production. Consult factory for available certifications.



7/2025  
CFQ:25



**Automatic Door &  
Hydraulic Tilting assist  
Loading and Unloading**

	XGQ-100CF	XGQ-100CFQ	XGQ-100CFSQ	XGQ-200CFSQ
Rated Capacity (dry load)	100 kg / 220 lbs	100 kg / 220 lbs	100 kg / 220 lbs	200 kg / 440 lbs
Drum Diameter (mm/inch)	1240 / 48.8	1240 / 48.8	1240 / 48.8	1560 / 61.4
Drum Depth (mm/inch)	840 / 33.1	840 / 33.1	840 / 33.1	1100 / 43.3
Drum Volume (cu.meter/cu.ft.)	1.01 / 35.8	1.01 / 35.8	1.01 / 35.8	2.10 / 74.2
Door Opening (mm/inch)	770	770	770	934
Door Opening Type	manual	auto / hydraulic	auto / hydraulic	auto / hydraulic
Wash /Balance Speed (RPM)	40/65	40/65	40/65	30/56
High Extract Speed (RPM)	680	680	680	620
G-Force	320	320	320	335
Motor Power VFD (kW/hp)	7.5 / 10	7.5 / 10	7.5 / 10	30 / 40
Hot & Cold Water Inlet	2 x 40DN	2 x 40DN	2 x 40DN	2 x 50DN
Steam Inlet	25DN	25DN	25DN	40DN
Drain Outlet	2 x 133mm	2 x 159mm	2 x 159mm	2 x 114mm
Compressed Air Connection	8mm	8mm	8mm	10mm
Suspension	shocks & springs	shocks & springs	shocks & springs	shocks & springs
Tilting	stationary	one-way tilt	two-way tilt	two-way tilt
Width (mm/inch)	2060 / 81.1	2300 / 90.6	2306 / 90.8	2480 / 97.6
Depth (mm/inch)	1890 / 74.4	1870 / 73.6	1879 / 74.0	2495 / 98.2
Height (mm/inch)	2145 / 84.5	2240 / 88.2	2324 / 91.5	2590 / 101.9
Net Weight (kg/lbs)	3240 / 7143	3600 / 7937	3600 / 7937	6800 / 14991




- Sea-lion America Company
- P.O. Box 1063
- Westbrook, CT 06498
- Phone: (860) 316-5563
- Email: [sales@sealionamerica.com](mailto:sales@sealionamerica.com)

Product details and machinery specifications are based on the latest information available at time of printing. Sea-lion America Company and Jiangsu Sea-lion Machinery Co., Ltd. reserve the right to change prices and specifications without notice.

XGQ-100CFQ

# Installation Layout



Product details and machinery specifications are based on the latest information available at time of printing. Sea-lion America Company and Jiangsu Sea-lion Machinery Co., Ltd. reserve the right to change prices and specifications without notice.



XGQ-100CFSQ

# Installation Layout

Product details and machinery specifications are based on the latest information available at time of printing. Sea-lion America Company and Jiangsu Sea-lion Machinery Co., Ltd. reserve the right to change prices and specifications without notice.





XGQ-200CFSQ

# Installation Layout

Product details and machinery specifications are based on the latest information available at time of printing. Sea-lion America Company and Jiangsu Sea-lion Machinery Co., Ltd. reserve the right to change prices and specifications without notice.

