### **Features**



High-speed, precision feeding system ensures linens enter the ironer perfectly aligned.



Smooth, wrinkle-free presentation optimizes finish quality.



For even greater efficiency, an optional intelligent overhead rail system is available to accelerate the feeding process.



Reduces manual labor and improves operator ergonomics.



Adjustable to handle a wide range of flatwork sizes — from pillowcases to king sheets.



Machine assist to manual feed mode For processing of small or oversize goods.

# Spreader/Feeder



superior finishing quality.

#### ZBQ-3500-IV-H 4-station

### Specifications

Machines are certified to ETL C-US standards. Some new models, including existing models that are in the process of being revised, may not be certified at the time of production. Consult factory for available certifications.



7/2025 ZBQ:25





Description	Specification
compressed air pressure	o.6-o.7Mpa
compressed air connection	Ф16mm diameter
compressed air consumption	110L/min
voltage	208-240V / 440-480V / 60Hz / 3PH
rated power	18.35 kw
power consumption	12kW.h/h
speed	o-5om/min
working width	≤3500mm
machine dimension(W×H×D)	5290×2920×2480mm
weight	5400kg



Sea-lion America CompanyP.O. Box 1063Westbrook, CT 06498

•Phone: (860) 316-5563

•Email: sales@sealionamerica.com



Intelligent Rail option. Custom configuration per site requirements.

ZBQ-3500-IV-H 4-station

## **Installation Layout**

Product details and machinery specifications are based on the latest information available at time of printing. Sea-lion America Company and Jiangsu Sea-lion Machinery Co., Ltd. reserve the right to change prices and specifications without notice.

**SEA-LION** 



